

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11636	((715/733,738,741-744,749,761,764,765,781,866) or (715/200,205,234)).QCL\$	US-PGPUB; USPAT	OR	OFF	2009/01/02 15:16
L2	0	dashboard and (browser near15 (gui ui interface)) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((webactivex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L3	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((webactivex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L4	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((webactivex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L5	0	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 near12 (page or (single adj1 page) or webpage)) and ((render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L6	4	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and (((render\$3 generat\$3 creat\$3) near12 (page or (single adj1 page) or webpage)) and (((render\$3 generat\$3 creat\$3) near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L7	0	dashboard and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L8	21	(browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3 call) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L9	574	L1 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near15 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L10	1269	L1 and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L11	146	L10 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L12	8	L11 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L13	16	L9 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L14	0	L13 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L15	12	L9 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L16	249	browser and ((page or (single adj1 page) or webpage) near15 (code or (hidden adj1 (frame code script)) or script)) and ((gui ui interface) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3 develop\$3) near10 (gui ui interface)) and (((no non "not" without) or ((no without) adj2 need\$3) or ("not" adj1 necessary)) near10 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L17	249	browser and ((page or (single adj1 page) or ((zero adj1 footprint) near3 (page webpage document)) or webpage) near15 (code or (hidden adj1 (frame code script)) or script)) and ((gui ui interface) near15 (page or (single adj1 page) or ((zero adj1 footprint) near3 (page webpage document)) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3 develop\$3) near10 (gui ui interface)) and ((no non "not" without) or ((no without) adj2 need \$3) or ("not" adj1 necessary)) near10 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L18	19	L17 and (((multiple or (number adj1 of) or plurality) near6 (window screen view pane \$1)) same ((electronic adj1 blackboard) or (single adj2 (interface screen)) or (dash adj1 board) or dashboard or ((web browser adj1 based) near4 (based adj3 (application page webpage interface gui ui)) or (control adj1 panel) or panel)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L19	230	L17 not L18	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L20	11636	((715/733,738,741-744,749,761,764,765,781,866) or (715/200,205,234)).CCLS	US-PGPUB; USPAT	OR	OFF	2009/01/02 15:16
L21	0	dashboard and (browser near15 (gui ui interface)) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and (((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L22	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3) near12 (code (hidden adj1 frame) script)) and (render\$3 near12 (page or (single adj1 page) or webpage)) and (render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and (((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L23	0	dashboard and browser and (gui ui interface) and ((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 near12 (page or (single adj1 page) or webpage)) and ((render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L24	0	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 near12 (page or (single adj1 page) or webpage)) and ((render\$3 near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L25	4	((page or (single adj1 page) or webpage) near10 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 creat\$3) near12 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 creat\$3) near12 (gui ui interface)) and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near6 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L26	0	dashboard and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L27	21	(browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface)) and ((no non "not" without) near4 (plugin or (plug adj1 in) or ((web activex java) adj1 component) or javascript or applet)) and ((request\$3 retriev\$3 call) near8 asynchronous\$2) and ((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L28	574	L20 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near15 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L29	1269	L20 and (browser adj3 (based application gui ui interface)) and ((render\$3 generat\$3 creat\$3 provid\$3) near12 (gui ui interface))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L30	146	L29 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L31	8	L30 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L32	16	L28 and ((page or (single adj1 page) or webpage) near15 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (code (hidden adj1 frame) script)) and ((render\$3 generat\$3 provid\$3 creat\$3) near15 (page or (single adj1 page) or webpage)) and ((render\$3 generat\$3 provid\$3 creat\$3) near12 (gui ui interface)) and (((multiple or (number adj1 of) or plurality) near10 (window screen view pane\$1)) or (dash adj1 board) or dashboard)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L33	0	L32 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((webactivex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L34	12	L28 and ((no non "not" without) near6 (plugin or (plug adj1 in) or ((webactivex java) adj1 component) or applet))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L35	20	L19 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation or forecast or forecasted or forecasting or prognosticat\$3 or intuitive or intuitively or intuition or perceive or perceived or perceiving or perception) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L36	14	L19 and ((predict or predicted or predicting or prediction or predictive or anticipate or anticipated or anticipating or anticipation) near10 data) and (server near10 data)	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L37	2	((("6873984") or ("6654784"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/01/02 15:16
L38	0	L37 and asynchronous\$2	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L39	119	L20 and (asynchronous\$2 near4 (request \$3 call))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L40	5	L30 and (asynchronous\$2 near4 (request \$3 call))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L41	0	L30 and ((asynchronous\$2 near4 (request \$3 call)) same (contin\$3 near4 interact \$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L42	0	L20 and ((asynchronous\$2 near4 (request \$3 call)) same (contin\$3 near4 interact \$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L43	5	L20 and ((asynchronous\$2 near4 (request \$3 call)) and (contin\$3 near4 interact\$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L44	0	dashboard and ((ui gui interface) near20 (((single one unified integrated) adj1 (page screen)) near10 ((no "not" non without) near4 chang\$3)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L45	95	dashboard and ((ui gui interface) near10 ((no "not" non without) near4 chang\$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L46	362	(dashboard or (dash adj1 board) or ((electronic digital) adj1 (blackboard cockpit)) or cockpit) and ((ui gui interface window screen pane panel (single adj1 page) page dashboard cockpit) near10 ((no "not" non without) near4 chang\$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L47	15	L20 and L46	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L48	9	(dashboard near20 ((multiple plurality) near4 (screen view window region pane panel))) and ((dashboard (single adj1 (page interface)) interface) near15 ((no "not" non without) near4 chang\$3))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

L49	13	((dashboard or (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or cockpit) near15 ((multiple plurality) near4 (screen view window region pane panel))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L50	13	((dashboard or (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital) adj1 (dashboard blackboard cockpit)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L51	76	((dashboard or (dash adj1 board) or (instrument adj2 panel) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or (single adj1 (page interface)) interface page) near10 ((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16
L52	107	((dashboard or (dash adj1 board) or (instrument adj2 panel) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or cockpit) near15 ((multiple plurality) near4 (screen view window region (display adj1 field) pane panel frame))) and ((dashboard cockpit (dash adj1 board) or ((electronic digital instrument control) adj1 (dashboard blackboard cockpit panel)) or (single adj1 (page interface)) interface page) near10 (((no "not" non without) near4 (chang\$3 alter\$3 modif\$4)) constant))	US-PGPUB; USPAT	OR	ON	2009/01/02 15:16

1/2/2009 3:23:28 PM

C:\Documents and Settings\xbautista\My Documents\EAST\Workspaces\10783891sec.wsp